## **Data Acquisition Form for FMS Web Guides**



To suggest a specific offer, we need some information about your application. Please complete the data sheet as much as possible and return it to us. Thank you.

Please fill in and send to the below address.

Name :		Phone :		
Company :				
Material	:			
Material width	max:	min:		[mm]
Material thickness	max:	min:		[mm]
Web tension	max:	min:		[N]
Web speed	max:	min:		[m/min]
Max. lateral offset	: ±			[mm]
Web guide controller (		_	_	
Edge guiding	Center guiding	Line guiding		adjustment
Chase and follow sys	stem Width measureme	ent Main supply 852	265 VAC	
☐ CAN-Bus	☐ PROFIBUS	other:		
Length of cable, control	$ler \rightarrow sensor$ : [m	1] Length of cable, contro	oller → actuator :	[m]
FMS-webMASTER	FMS-webDIRECTOR	FMS-winderGLIDE		
Frame length C:	Free span L:	Unwinder	Rewinder	
[mm]	[mm]	Max. weight of winder (winder and reel)	:[kg]	
		Friction coefficient μ	:[-]	
		Max. adjusting speed	☐ 25 mm/s	☐ 50 mm/s
Please draw the web path into the steering frame symbol matching your machine situation (FMS-webMASTER / FMS-webDIRECTOR only):		Remarks / Drawing:		
World Headquarters:	EMG UGA T	EMC MY	EMC L. I	

FMS USA, Inc. **FMS UK FMS Italy** Force Measuring Systems AG 2155 Stonington Avenue, Highfield, Atch Lench Road Via Baranzate 67, Aspstrasse 6 Suite 119 Church Lench I-20026 Novate Milanese 8154 Oberglatt (Switzerland) Hoffman Estates, IL 60169 Evesham WR 11 4UG Phone 02 39487035 Phone + 41 44 852 80 80 Phone 847 392 7872 Phone 1386 871023 02 39487035 Fax 847 392 7873 + 41 44 850 60 06 1386 871021 fmsit@fms-technology.com Fax Fax info@fms-technology.com fmsusa@fms-technology.com fmsuk@fms-technology.com